

c, 198€€') : : €>€t, w% {t, 0c €' } {, '€t€f'€t' : %>S%€t€t, Oa{, t'€t'€t' }
l of ebei auai t' äet i Naoadi i eunëe Nai adnei e äeane to 30 ääädäy 2019 ä. 1 39

Table with columns: a, c, xw, a, c, t, a, b, n, l, a, b, n, l, a, b, n, l. Contains multiple rows of data with various codes and values.

Table with columns: a, c, xw, a, c, t, a, b, n, l, a, b, n, l, a, b, n, l. Contains multiple rows of data with various codes and values.

l of ebei auai e ä 6 e Däat' ep Ni adai ey l äanaoäeäeäe näeunet i i naeet ey Aäneüäeäe
l of ebei auai t' äet i Naoadi i eunëe Nai adnei e äeane to 30 ääädäy 2019 ä. 1 39

Table with columns: a, c, xw, a, c, t, a, b, n, l, a, b, n, l, a, b, n, l. Contains multiple rows of data with various codes and values.

Table with columns for code, date, and numerical values. Includes rows for 'Āānēēūāānēēā ī ī ā ī nōē' and 'Āānēēūāānēēā ī ī ā ī nōē'.

Table with columns for code, date, and numerical values. Includes rows for 'Āānēēūāānēēā ī ī ā ī nōē' and 'Āānēēūāānēēā ī ī ā ī nōē'.

Āānēēūāānēēā ī ī ā ī nōē... 1 7 ē Dāāāī ēp Nī āāāī ēy ī āāāāāāāāāāāā nāēūāī ā ī nēāēy Āānēēūāānēēā ī ī ā ī nōē āy ā ī nōē āāī ēy āī nōāāāāī ī ūō (ī ūō ēōēī āēū-ī-ī ēē).

Table with columns for code, date, and numerical values. Includes rows for 'Āānēēūāānēēā ī ī ā ī nōē' and 'Āānēēūāānēēā ī ī ā ī nōē'.

